SVT131 Series


SERVICE MANUAL

Ver 1-2012E

Revision History

Area	Lineup	
US (United States)	SVT13112FXS SVT13113FXS SVT13114GXS SVT13116FXS SVT13118FXS SVT131190X* SVT1311EFYS	
PA (Pan-America)	SVT13115FBS SVT13115FDS SVT13115FLS SVT131190S*	
EU (Europe)	SVT1311C5E* SVT1311M1ES SVT1311M1RS	
AP (Asia-Pacific)	SVT13113ENS	







- Design and specifications are subject to change without notice.
- 本機の仕様および外観は、改良のため予告なく変 更することがありますが、ご了承ください。

PERSONAL COMPUTER

SONY®

Information in this document is subject to change without notice.

Sony, VAIO and CLIE are trademarks or registered trademarks of Sony. Microsoft, Windows, Windows Media, Outlook, Bookshelf and other Microsoft products are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. The word Bluetooth and the Bluetooth logo are trademarks of Bluetooth SIG, Inc. AMD, the AMD logo, other AMD product names and combinations thereof are trademarks of Advanced Micro Devices, Inc. Intel Inside logo, Pentium, Celeron and Core are trademarks or registered trademarks of Intel Corporation. Transmeta, the Transmeta logo, Crusoe Processor, the Crusoe logo and combinations thereof are trademarks of Transmeta Corporation in the USA and other countries. Graffiti, Hot-Sync, PalmModem, and Palm OS are registered trademarks, and the Hotsync logo and Palm are trademarks of Palm, Inc. or its subsidiaries. (M) and Motrola are trademarks of Motrora, Inc. Other Motrola products and services with (R) mark like Dragonball are the trademarks of Motrola, Inc.

All other names of systems, products and services in this manual are trademarks or registered trademarks of their respective owners. In this manual, the (TM) or (R) mark are not specified.

Caution Markings for Lithium/Ion Battery - The following or similar texts shall be provided on battery pack of equipment or in both the operating and the service instructions.

CAUTION: Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type recommended by the manufacturer. Discard used batteries according to the manufacturer's instructions.

CAUTION: The battery pack used in this device may present a fire or chemical burn hazard if mistreated. Do not disassemble, heat above 60°C (140°F) or incinerate. Dispose of used battery promptly. Keep away from children.

CAUTION: Changing the back up battery.

- Overcharging, short circuiting, reverse charging, multilation or incineration of the cells must be avoided to prevent one or more of the following occurrences; release of toxic materials, release of hydrogen and/or oxygen gas, rise in surface temperature.
- If a cell has leaked or vented, it should be replaced immediately while avoiding to touch it without any protection.

The components identified by mark $\stackrel{\cap}{\mathbb{I}}$ contain confidential information.

Strictly follow the instructions whenever the components are repaired and/or replaced.

Service and Inspection Precautions

1. Obey precautionary markings and instructions

Labels and stamps on the cabinet, chassis, and components identify areas requiring special precautions. Be sure to observe these precautions, as well as all precautions listed in the operating manual and other associated documents.

2. Use designated parts only

The set's components possess important safety characteristics, such as noncombustibility and the ability to tolerate large voltages. Be sure that replacement parts possess the same safety characteristics as the originals. Also remember that the ⚠ mark, which appears in circuit diagrams and parts lists, denotes components that have particularly important safety functions; be extra sure to use only the designated components.

3. Always follow the original design when mounting parts and routing wires

The original layout includes various safety features, such as inclusion of insulating materials (tubes and tape) and the mounting of parts above the printer board. In addition, internal wiring has been routed and clamped so as to keep it away from hot or high-voltage parts. When mounting parts or routing wires, therefore, be sure to duplicate the original layout.

4. Inspect after completing service

After servicing, inspect to make sure that all screws, components, and wiring have been returned to their original condition. Also check the area around the repair location to ensure that repair work has caused no damage, and confirm safety.

5. When replacing chip components...

Never reuse components. Also remember that the negative side of tantalum capacitors is easily damaged by heat.

6. When handling flexible print boards...

- The temperature of the soldering-iron tip should be about 270°C.
- Do not apply the tip more than three times to the same pattern.
- Handle patterns with care; never apply force.

Caution: Remember that hard disk drives are easily damaged by vibration. Always handle with care.

ATTETION AU COMPOSANT AYANT RAPPORT À LA SÉCURITÉ!

LES COMPOSANTS IDENTIFÉS PAR UNE MARQUE A SUR LES DIAGRAMMES SCHÉMATIQUES ET LA LISTE DES PIÈCES SONT CRITIQUES POUR LA SÉCURITÉ DE FONCTIONNEMENT. NE REMPLACER CES COMPOSANTS QUE PAR DES PIÈSES SONY DONT LES NUMÉROS SONT DONNÉSDANS CE MANUEL OU DANS LES SUPPÉMENTS PUBLIÉS PAR SONY.

Sony Confidential


TABLE OF CONTENTS

Section	<u>Title</u>	Page
CHAPTER 1.	BLOCK DIAGRAM	1-1
		(to 1-1)
CHAPTER 2.	FRAME HARNESS DIAGRAM	2-1
		(to 2-1)
CHAPTER 3.	EXPLODED VIEWS AND PARTS LIST	
Note		3-2
Main Section		
MS-1		3-3
LCD		
L-1		3-4
Accessories		
A-1		3-5
		(to 3-5)

- SPECIFICATIONS are listed on Page 3-1 of
 "CHAPTER 3. EXPLODED VIEWS AND PARTS LIST".
 History of the changes is shown as the "Revision History" at the end of this data.


- SPECIFICATIONS は、"CHAPTER 3. EXPLODED VIEWS AND PARTS LIST" の 3-1 ページに掲載されています。
 変更履歴は、" Revision History " として、本データ末に記載してあります。

CHAPTER 1. BLOCK DIAGRAM



Sony Confidential


CHAPTER 2. FRAME HARNESS DIAGRAM



CHAPTER 3. EXPLODED VIEWS AND PARTS LIST

- The exploded views and parts list are compiled by blocks. The sections are different depending on the model. Please refer to list of contents shown on next page.
- 分解図と部品表は、ブロックごとに分かれています。 機種によってセクションが異なりますので、詳細は次ページの一覧表 を参照してください。

Section	Page
Note	3-2
Main Section	
MS-1	3-3
LCD	
L-1	3-4
Accessories	
Δ_1	3_5



- Double-click on the paper clip mark in the Spec column to open the specifications list.
- Spec 欄のクリップマークをダブルクリックすると、スペック表が開きます。
- To open the specifications list, Microsoft office Excel or Excel viewer is required.
- スペック表を開くためには、Microsoft Office Excel または Excel ビューワーが必要になります。

	-
T13112FXS MS-1 L-1 A-1	_
T13116FXS MS-1 L-1 A-1	_
T13118FXS MS-1 L-1 A-1	
US T13114GXS MS-1 L-1 A-1	
T13113FXS MS-1 L-1 A-1	
T1311EFYS MS-1 L-1 A-1	
T131190X* MS-1 L-1 A-1	
T13115FLS MS-1 L-1 A-1	_ _
PA T13115FBS MS-1 L-1 A-1	_ 461
113115FDS MS-1 L-1 A-1	
T131190S* MS-1 L-1 A-1	
T1311M1ES MS-1 L-1 A-1	40
T1311M1RS MS-1 L-1 A-1	
T1311C5E* MS-1 L-1 A-1	
	╗
AP	
T13113ENS MS-1 L-1 A-1	
	_

*: CTO Model

Sony Confidential

Note

- Parts List is attached on the upper right portion of each EXPLODED VIEW.
- Items marked " * " are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.
- · The parts marked "\$" are the Reuse Parts.
- The parts marked with "&" indicates specific parts handling for Japan region. Disregard "&" marking for other than Japan region.
- Color after discription in [1] shows color variation name of the main body.
- The model that is accompanied asterisk (*) is the CTO model.
- Description of [***MBx2], [***MB], [***GBx2], [***GB]...indicates the following. ***MB/***GB: size of the part
 - x2: installed quantity at original production
- Be sure to use the parts marked with $\bullet x/\Box x$ together with the parts with the
- · When replacing the HDD of RAID setting, please exchange to the same HDD that was installed.

Basically, the parts marked "•" should be used for service. The parts marked "□" in the parts list are substitution parts. If the part marked "●" is not available, you can order the parts marked "□". but it may not be stocked.

The components identified by mark | Les composants identifiés par une ! or dotted line with mark ! are critical for safety. Replace only with Ne les remplacer que par une pièce part number specified.

marque ! sont critiques pour la sécurité. portant le numéro spécifié.

The components identified by mark \(\text{\flat} \) contain confidential information. Strictly follow the instructions whenever the components are repaired and/or replaced.

- 部品表は、各分解図の右上部に添付されています。
- * 印の部品は常備在庫しておりません。
- 部品名称の前に\$印のついた部品は、Reuse Partsです。
- 部品名称の前に&印のついた部品は、お客様でも交換可能なCustomer Replacable Parts (CRP)であり, 販売可能です。

特に<&>印のついた部品は、使い分けが必要な部品ですので、必ず分解図で対象部品を ご確認ください。

- 部品名称の後に[]で色が示されている場合, Bodyのカラーバリエーション名称を表わして います。
- 機種名に(*)がつくものはCTOモデルです。
- 部品名の[***MBx2]、[***MB]、[***GBx2]、[***GB] 等々は以下を表わしています。 ***MB/***GB: この部品の容量
 - x2: 出荷時に搭載されている員数
- ●x/□xになっている部品は、同じ数字どうしで必ず一緒に使用してください。
- RAID設定のHDDを交換する際は、搭載されていたHDDと同じものに交換してください。

部品表中"□"のついた部品は、代替部品です。基本は●印 の部品を使用してください。

●印の部品が無い場合は、□印の部品をオーダーすることも 可能ですが, 在庫されていない場合があります。

! 印の部品, または! 印付きの点線で囲まれた部品 は、安全性を維持するために重要な部品です。従って 交換時は,必ず指定の部品を使用してください。

△印の部品には、秘密情報が含まれています。修理 の際は、指示に従った対応を行なってください。

• If there is the Remarks column in the parts list. the features of applicable models are indicated in it

for the parts that are different depending on each model. For the abbreviations used in the remarks column, please refer to the .

・ 部品表にRemarks欄がある場合, 使い分けが生じる部品について, 判別の目安となる対応モデルの特徴を 示しています。

記述の省略方法については〈table 1〉を参照ください。

3-2

Full-Name	Short-Name		
Bluetooth	ВТ		
Felica	Felica		
Wireless WAN	WAN		
Wireless LAN	WLAN		
1seg Tuner	1seg		
Finger Print Sensor	FP		
Security Chip	TPM		
Flash Memory	SSD		
Camera	Camera		
Touchscreen Panel	Touchscreen		
Transfer Jet	T-Jet		
HD Noise Cancelling Headphone	HD NCHP		

- If "No-" is described on the left side of the Short-Name, it means 'not equipped'. Example: "No-BT" "No-Felica" etc.
- When several descriptions are listed, each description is separated with ", (comma)" or " or". "Comma" means plus. Example.1: The parts for the model equipped with BT and Felica and WLAN → BT, Felica, WLAN Example.2: The parts for the model equipped with BT or Felica → BT or Felica
- If the color is in the remarks column, it indicates the color of parts itself.
- ・「無し」を表現する場合には、Short-Nameの左に「No-」とつけます。 例)「No-BT」「No-Felica」など
- 注記を複数記載する際には「、(カンマ)」又は「or」で区切ります。「、(カンマ)」はプラスという意味として使います。

例1) BTとFelicaとWLANが搭載されたモデルにつく部品 → BT, Felica, WLAN

例2) BT搭載モデル又はFelica搭載モデルにつく部品 → BT or Felica

・色表記の場合,該当の部品自体の色を示します。

Sony Confidential


SVT131 Series (9-890-907-XX)

3-3

SVT131 Series (9-890-907-XX)

- Double-click on the paper clip mark to open the parts list.
 クリップマークをダブルクリックすると、部品表が開きます。

- To open the parts list, Microsoft office Excel or Excel viewer is required.
 部品表を開くためには、Microsoft Office Excel または Excel ビューワーが





A-1. Accessories




- Double-click on the paper clip mark to open the parts list.
- クリップマークをダブルクリックすると、部品表が開きます。
- To open the parts list, Microsoft office Excel or Excel viewer is required.
- 部品表を開くためには、Microsoft Office Excel または Excel ビューワーが 必要になります。




































2018


Power Cord Set

2023 Power-Supply Cord











9-890-907-01

This manual and the constituent data may not be replicated, copied nor reprinted in whole or in part without prior written authorization of Sony Corporation.

本マニュアルの一部, または全部について, 無断でデータの 複製, 複写, 転載することを禁じます。

Sony Corporation

English / Japanese 2012E2700-1 © 2012 Sony Corporation

Revision History

Suffix	Ver.	Date	Contents	QM No.	
-01	Ver. 1	2012.05.11	First Edition	-	
<remar< td=""><td colspan="5"><remarks></remarks></td></remar<>	<remarks></remarks>				